

UNIVERSITY OF SINDH JOURNAL OF ANIMAL SCIENCES

Vol. 5, Issue 3, Pp: (21-24), September 2021

Email: editor .usjas@usindh.edu.pk Website: http://usindh.edu.pk/index.php/USJAS ISSN (P): 2521-8328 ISSN (E): 2523-6067 Published by University of Sindh, Jamshoro



PHYMATA SOESILAE A NEW SPECIES (HETEROPTERA: PHYMATIDAE) FROM SURINAME

DEWANAND MAKHAN

*Willem Bilderdijkhove 19, 3438 PM Nieuwegein, the Netherlands

ARTICLE INFORMATION

Article History:

Received: 19th March 2021 Accepted: 28th June 2021

Published online: 29th September 2021

Key words:

Heteroptera, Phymatidae, Phymata soesilae sp.

nov., Suriname.

ABSTRACT

In this paper *Phymata soesilae* sp. nov., a new species of ambush bug of Suriname is described. It will be new addition in fauna of Heteroptera: Phymatidae in Suriname.

1. INTRODUCTION

Species of *Phymata* Latreille, 1802 is known from Africa, Asia, Australia, Europe, Canada, North America and South America. From South America comprises 14 species of ambush bugs: *Phymata birabeni* Kormilev, 1950 from Argentina, *P. producta* Hoberlandt,1944, *P. erosa* Melin, 1930 from Brazil, *P. chilensis* Handlirsch, 1897, from Chile, *P. albimana* Zayas, 1966, *P. grilloi* Zayas, 1988, *P. isabelae* Rivero & Grillo, 2005, from Cuba, *P. interjecta* Dudich, 1922, Dominican Republic, P. acutangula, Guérin-Méneville, 1857, *P. fortificata* Herrich-Schaffer,1844 from French Guyana, P. superba Kormilev, 1962, from Haiti, P. pilifera, 1963, from Jamaica, *P. trinidadensis* Kormilev, 1957, from Trinidad and *P. venezuelana*, 1950, from Venezuela.

In this paper, the first *Phymata* Latreille, 1802 species are described from Suriname as *Phymata soesilae* sp. nov. The species was collected Colakreek, in Para District and is collected with a sweep net on Vegetation. The host plant is unknown. (Kormilev and Doesburg) [1], (Rivero and Grillo) [2] and (Zayas) [3].

*Corresponding Author: dewanandmakhan@yahoo.co.uk Copyright 2017 University of Sindh Journal of Animal Sciences The holotype of the new species will be deposited in the collection of the Naturalis Biodiversity Center in Leiden, the Netherlands.

Taxonomic description

Phymata soesilae Makhan, sp. nov. (Figures 1-2).

Type: Holotype male. Suriname, Colakreek, 7.8.1992, coll. D. Makhan (only the holotype).

Holotype description: Male. Total length 6.1 mm.

Head longer than wide, dorsal side yellow-brown, lateral side black and with granules.

Eyes large round and is at middle of the head.

Antennae long and is longer than the middle of the pronotum. Antennomeres longer than wide, yellow-brown and the last antennomere is brown and is not clubbed.

Pronotum yellow-brown, with granules. Lateral notch absent, lateral and posterior angles prominent.

Scutellum yellow-brown, is long as wide, bearing a linear carina and with granules.

Abdomen: Yellow-brown, posterior lateral corners of abdominal segments 2–5 strongly dentiform, abdomen broadly dilated, apex of abdominal segment 6 rounded, abdominal segments 5 and 6 with redbrown marking and with granules.

Forewings yellow-brown, wing membrane hyaline.

Legs are yellow-brown, the fore femur is granulated.

Etymology: This species is named after my wife, Soesila Makhan.

Comments: *Phymata isabelae* Rivero & Grillo, 2005, appears to be closely allied to from Cuba, but there is a difference in the shape of the body. Abdomen is wide and high in *Phymata isabelae*

(Rivero and Grillo) [2] and Abdomen is not so wide and is flat in *Phymata soesilae* Makhan, sp. nov.

REFRENCES

- [1] Kormilev, N.A. and Doesburg, P.H. (1992). Notes on Macrocephalinae (Heteroptera: Phymatidae). Zoologische Mededelingen Leiden 66 (30), 31.xii.417-421.
- [2] Rivero-Aragón, Alán and Grillo, Horacio, (2005). Nueva especie cubana de *Phymata* Latreille (Heteroptera; Phymatidae), Revista Centro Agrícola 32, No. 4, pp. 55-58.
- [3] Zayas, F. (1988). Entomofauna Cubana, tomo VII, Editorial Científico-Técnica, La Habana, pp. 149- 154.



Figure 1. *Phymata soesilae* Makhan, sp. nov. habitus, holotype male, dorsal view (total length = 6.1 mm).



Figure 2. *Phymata soesilae* Makhan, sp. nov. habitus, holotype male, ventral view (total length = 6.1 mm).